



measuring devices actuators sensors PDA "two way data"

Search

[Advanced Scholar Search](#)

Scholar

Articles and patents

anytime

include citations



[Create email alert](#)

Results 1 - 10 of about 17. (0.12 sec)

System and method of monitoring and controlling a remote device

MCT Chang... - US Patent App. 10/032,030, 2001 - Google Patents

... **Sensors** 191,192 may be thermistors, ther- mocouples, or other temperature **measuring** equipment, tachometers ... or other data to an **actuator**, which may generally correspond to **actuators** 193, 194 ... be capable of con- trolling the functionality or operation of a plurality of **devices**. ...

[All 2 versions](#)

System and method of addressing and configuring a remote device

B Nakatani - US Patent App. 09/965,520, 2001 - Google Patents

... embodied in any number of monitoring **devices** such as: thermistors, thermocouples, or other temperature **measuring** equipment; tachometers ... capable of **two-way data** communication with data ports 1201-1204 and any peripheral **devices**, **sensors**, or **actuators** coupled thereto ...

[All 2 versions](#)

System and method for temperature sensing and monitoring

PB Egidio - US Patent App. 10/442,100, 2003 - Google Patents

... are addressed by the present invention in which an approach for digitally **measuring** temperature and ... which (not shown) can be used for powering remote **sensors** and **actuators** (such as ... However, remote **devices** may acquire power from a source other than the controller 105 ...

[Related articles](#) - [All 6 versions](#)

Molecular fluorescence, phosphorescence, and chemiluminescence spectrometry

AM Powe, S Das, M Lowry, B El-Zahab... - Analytical ..., 2010 - ACS Publications

... reviewed the strategies used to develop fluorescent-based peptide **sensors** and discussed ... and co-workers reported raster image correlation spectroscopy (RICS) for **measuring** fast protein ... the review period that will undoubtedly lead to improved instruments and experimental ...

[Cited by 68](#) - [Related articles](#) - [BI Direct](#) - [All 9 versions](#)

[PDF] Non invasive brain-machine interfaces

[\[PDF\] from osu.edu](#)

F Carpi, D De Rossi... - ESA Ariadna Study, 2006 - Citeseer

... A German group (Mehring et al., 2003) recently reported that **measuring** local-field ... number of degrees of freedom (DoF), **sensors** embedded in its structure, **actuators** and tendons ... Several attempts have been carried out to develop multifunctional prosthetic **devices** controlled by ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

On/off keying node-to-node messaging transceiver network with dynamic routing and configuring

BK McMillin - US Patent 7,027,773, 2006 - Google Patents

... **PDA** INTERFACE OPTIONAL APPLICATION-SPECIFIC INTERFACES VEHICLE INTERFACE
DOOR LOCK INTERFACE UTILITY METER INTERFACE APPLIANCE INTERFACE BUILDING
CONTROL INTERFACE USER DISPLAY USER KEYBOARD EXTERNAL **SENSORS** ...

[Cited by 60](#) - [Related articles](#) - [All 2 versions](#)

DIGITAL IMAGE RETRIEVAL BY AGGREGATING SEARCH RESULTS BASED ON VISUAL ANNOTATIONS

R Van Zwol... - US Patent App. 20,100/114,888, 2008 - freepatentsonline.com

... 20090234810, **SENSOR** AND **ACTUATOR** BASED VALIDATION OF EXPECTED COHORT,
September, 2009, Angell ... In other instances, well-known structures and **devices** are shown in
block ... Another approach for **measuring** the suitability of the annotated digital images selected ...

[Cached](#) - [All 3 versions](#)

Enhanced portable digital lidar system

HS Lee, IH Hwang... - US Patent 7,741,618, 2010 - Google Patents

... and Biological defense, pp. 26-30, October 1998, the entire contents of which are
incorporated herein by reference, have been actively developing both long range
and short range **sensor** systems. Long-range biological standoff ...

[Related articles](#) - [All 6 versions](#)

Apparatus, methods, and systems for viewing and manipulating a virtual environment

D Macintosh, D Morelock... - US Patent 7,403,220, 2008 - Google Patents

... 344 Interface 328 /\ Removable N V Storage 332 •<> ^ ISP 312 , ^ v_ Graphical User- Interface
334 TV Peripheral s^ / **Devices** 336 J ... 23 of 26 US 7,403,220 B2 1722 Hardware Initialization
USB Initialization Read/Handle External Thumb Controls **Sensor** Calibration Calibrate ...


[Cited by 1](#) - [Related articles](#) - [All 6 versions](#)

Magnetic Vibratory Screen Clamping

P Duffin... - US Patent App. 20,100/235,002, 2010 - freepatentsonline.com

... such as one or more electro-magnetic clamp apparatus 314, or other suitable clamp **devices**. ...
connected to the vibratory separator and positioned above the screen apparatus for **measuring**
a distance ... to move the rocker arm assembly up and down: a linear **actuator** device or ...

[Cached](#)

 [Create email alert](#)

measuring devices actuators sensor

Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google